

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	2968	(kondo adj tetsujiro).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 11:35
L5	1	(tetsujiro adj kondo ).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 11:35
L6	2969	(tetsujiro near2 kondo ).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 11:36
S3	3	S1 or S2 and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:47
S4	2	S1 or S2 and inference	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:47
S5	3	S4 or S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:47
S6	0	(S1 or S2) and inference	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:48

S7	1	(S1 or S2) and infer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:48
S8	0	optic\$4 same protocol with probabli\$4 same infer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:48
S9	0	optic\$4 and protocol with probabli\$4 same infer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 13:49
S12	1	S11 and deform	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:20
S13	3175	(deform\$5 or chang\$4) with door with frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:26
S14	103	(deform\$5 or chang\$4) with door with frame with reduc\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:27
S15	0	(deform\$5 or chang\$4) with door with frame with reduc\$4 same (pc or cpu or computer or gui or interface or processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:27

S16	0	(deform\$5 or chang\$4) with door with frame with reduc\$4 same (pc or cpu or computer or gui or interface or processor or graphical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:27
S17	56	(deform\$5 or chang\$4) with door with frame same (pc or cpu or computer or gui or interface or processor or graphical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:27
S18	973	(deform\$5 or chang\$4 or moving) near2 (door near2 frame or doorframe)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:34
S19	10	(deform\$5 or chang\$4 or moving) near2 (door near2 frame or doorframe) same (pc or cpu or computer or gui or interface or processor or graphical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:35
S21	63	(deform\$5 or chang\$4 or moving) with (door near2 frame or doorframe) same (pc or cpu or computer or gui or interface or processor or graphical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:39

S22	2703	(deform\$5 or chang\$4 or moving) with (door or door near2 frame or doorframe) same (pc or cpu or computer or gui or interface or processor or graphical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:39
S23	35	S21 not S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:39
S24	5245	(moveable) with (door or door near2 frame or doorframe)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:44
S25	187	(moveable) with (door or door near2 frame or doorframe) same (pc or cpu or computer or gui or interface or processor or graphical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:44
S26	5	(moveable) with (door near2 frame or doorframe) same (pc or cpu or computer or gui or interface or processor or graphical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:44
S27	80	(moveable) with (door near2 frame or doorframe) and (pc or cpu or computer or gui or interface or processor or graphical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:47

S28	78	(moveable) with (door near2 frame or doorframe) and (pc or cpu or computer or gui or interface or processor or graphical) not (S23)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:47
S29	218822	(moveable) near2 (door near2 frame or doorframe) and (pc or cpu or computer or gui or interface or processor or graphical) not (S23)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:48
S30	21	(moveable) near2 (door near2 frame or doorframe) and (pc or cpu or computer or gui or interface or processor or graphical) not (S23)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:48
S31	4	(control or controlling controls) near2 (door near2 frame or doorframe) with (pc or cpu or computer or gui or interface or processor or graphical) not (S23)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:56
S32	392	(control or controlling controls) near2 (door near2 frame or doorframe)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:57

S33	111	(moveable) near2 (door near2 frame or doorframe)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:58
S34	21	(moveable) adj (door near2 frame or doorframe)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 15:55
S35	12	(moveable) adj (window near frame)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 15:56
S36	31	S34 or S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 15:56
S37	909	control with power with electric with socket	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:32
S38	140	control with power with electric with socket with (pc or cpu or computer or gui or interface or processor or graphical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:33
S39	174681	control with power with electric wadj socket with (pc or cpu or computer or gui or interface or processor or graphical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:33

S40	7	control with power with electric adj socket with (pc or cpu or computer or gui or interface or processor or graphical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:33
S41	10	control with power with electric adj socket same (pc or cpu or computer or gui or interface or processor or graphical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:34
S42	242	control with power near2 socket same (pc or cpu or computer or gui or interface or processor or graphical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:35
S43	12	control with power near2 socket same (pc or cpu or computer or gui or interface or processor or graphical) same (home or building or office or store)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:35
S44	104	control with power near2 socket same (pc or cpu or computer or gui or interface or processor or graphical) and (home or building or office or store)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:38

S47	1874	retract\$6 with (window or door) adj frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 10:07
S48	111	retract\$6 near2 (window or door) adj frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 10:07
S49	7	retract\$6 near2 (window or door) adj frame and (pc or cpu or computer or gui or interface or processor or graphical) and (home or building or office or store)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 10:08
S50	16	retract\$6 near2 (window or door) adj frame and (pc or cpu or computer or gui or interface or processor or graphical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 10:08
S51	62	retract\$6 near (window or door) adj frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 10:10
S52	2405	(pc or cpu or computer or gui or interface or processor or graphical) and (home or building or office or store) same (window or door) adj frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 10:14



S53	1260	(pc or cpu or computer or gui or interface or processor or graphical) and (home or building or office or store) with (window or door) adj frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 10:14
S54	199	(pc or cpu or computer or gui or interface or processor or graphical) with (control or controls or controlling) with (window or door) adj frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 10:14
S55	11	(pc or cpu or computer or gui or interface or processor or graphical) with (control or controls or controlling) near2 (window or door) adj frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 10:14
S56	751	(adjust\$4) near2 (window or door) adj frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 10:16
S57	295	(adjust\$4) near (window or door) adj frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 10:16

S59	9	(adjust\$4) near (window or door) adj frame and (pc or cpu or computer or gui or interface or processor or graphical) and (home or building or office or store)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 10:16
S60	34	deform\$5 with (window or door) adj frame and (pc or cpu or computer or gui or interface or processor or graphical) and (home or building or office or store)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 10:17
S61	42	deform\$5 with (window or door) adj frame and security	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 10:20
S62	385	control with power with supply with electric with socket	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 10:28
S63	286	control with power near supply with electric with socket	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 10:28
S64	25	control with power near supply near2 electric near socket	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 10:28

S65	3	(pc or cpu or computer or gui or interface or processor or graphical) and (home or building or office or store) and S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 10:29
S66	6	(pc or cpu or computer or gui or interface or processor or graphical) and S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 10:29

## EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	431	(tetsujiro near2 kondo ).in. and (deform\$4 or supply or control or status or configuration or configure)	USPAT; UPAD	OR	ON	2009/11/05 11:38
L8	132	(tetsujiro near2 kondo ).in. and (deform\$4 or supply or control or status or configuration or configure).clm.	USPAT; UPAD	OR	ON	2009/11/05 11:38
L9	0	(tetsujiro near2 kondo ).in. and (deform\$4).clm.	USPAT; UPAD	OR	ON	2009/11/05 11:43

11/ 5/ 2009 12:11:22 PM

C:\ Documents and Settings\ jnorton\ My Documents\ EAST\ Workspaces\ 10570617\ 11-4-09.wsp